Europäisches Patentamt
European Patent Office
Office européen des brevets



) EP 0 756 869 A2

(12)

## **EUROPEAN PATENT APPLICATION**

(43) Date of publication 05.02.1997 Bulletin 1997/06 (51) Int CI 6 A61K 31/135, A61K 31/38

- (21) Application number 96305346.7
- (22) Date of filing 22.07.1996
- (84) Designated Contracting States

  AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL
  PT SE

  Designated Extension States

  AL LT LV SI
- (30) Priority 24.07.1995 US 1373 08.11.1995 US 6349 19.12.1995 GB 9525909
- (71) Applicant ELI LILLY AND COMPANY Indianapolis, Indiana 46285 (US)
- (72) Inventors
   Helligenstein, John Harrison Indianapolis, Indiana 46228 (US)

- Laguzza, Bennett Coleman Indianapolis, Indiana 46250 (US)
- Paul, Steven Marc Carmel, Indiana 46032 (US)
- Tollefson, Gary Dennis Indianapolis, Indiana 46236 (US)
- (74) Representative Hudson, Christopher Mark Lilly Industries Limited European Patent Operations Erl Wood Manor Windlesham Surrey GU20 6PH (GB)
- (54) Use of duloxetine or of N-alkyl-3-phenyl-(2-alkylthiophenoxy)-propylamines for treating attention-deficit/hyperactivity disorder
- (57) A group of propanamines, norepinephrine up-

take inhibitors are used to treat attention-deficit/hyperactivity disorder

EP 0 756 869 A2

### Description

The invention belongs to the fields of pharmaceutical chemistry and psychiatric medicine, and provides a method of treatment of the psychiatric disorder known as attention-deficit/hyperactivity disorder

For some decades it has been recognized that a significant number of children are persistently hyperactive and have an attention span so short as to be disabling in school and in many personal relationships. Such children in earlier times would no doubt have been dismissed as incorrigible and punished or even confined in an institution. Some long time ago, however, it was realized that these children cannot control their hyperactivity and inattention, and the medical professions began to try to help them. Methylphenidate (Ritalin<sup>TM</sup>)has been used for some time to treat such children and it often significantly improves their ability to function and coexist with other people at school and at home. However, the drug has the disadvantages of requiring several doses per day, and producing a rebound effect as the effect of each dose fades away. Further, the drug causes sleeplessness and lack of appetite in some patients. Methylphenidate has both noradrenergic and dopaminergic activities.

Impramine desipramine, nortriptyline, amitriptyline and clomipramine are also used in some cases of attentiondeficit/hyperactivity disorder (ADHD). Those tricyclic drugs, however, have a number of physiological mechanisms and as a class, tend to produce a number of side effects and require careful supervision and dose titration.

In the last decade, psychiatrists have realized that ADHD is not only a disorder of childhood, but often continues in the adult. It is obvious that hyperactivity and short attention span cause grave disruption in an adult's life, but it is only recently that such patients have been able to obtain any treatment.

The need for a safe and convenient treatment for ADHD, applicable to both children and adults and without the disadvantages possessed by methylphenidate continues to be a concern of the psychiatric profession

The present invention provides the use for manufacturing a medicament for the treatment of attention-deficit/hyperactivity disorder of duloxetine or of a compound of the formula

35

45

50

55

25

30

wherein X = C<sub>1</sub>-C<sub>4</sub> alkylthio, and Y = C<sub>1</sub>-C<sub>2</sub> alkyl or a stereoisomer thereof, or a pharmaceutically acceptable salt thereof Duloxetine. N-methyl-3-(1-naphthalenyloxy)-3-(2-thienyl) propanamine, is usually administered as the hydrochloride salt and as the (+) enantiomer. It was first taught by U.S. Patent 4,956,388, which shows its high potency. The word "duloxetine" will be used here to refer to any acid addition salt or the free base of the molecule.

The compounds of formula I were described in U.S. Patent 5.281,624. of Gehlert. Robertson and Wong, and in Gehlert et al., <u>Life Sciences</u> 56(22), 1915-1920, 1995. The compounds are there taught to be inhibitors of norepine-phrine reuptake in the brain. It is also explained that the compounds exist as stereoisomers, and that they accordingly include not only the racemates, but also the isolated individual isomers. For example, the compounds of formula I include the following exemplary species.

N-ethyl-3-phenyl-3-(2-methylthiophenoxy)propylamine benzoate

(R)-N-methyl-3-phenyl-3-(2-propylthiophenoxy)-propylamine hydrochloride

(S)-N-ethyl-3-phenyl-3-(2-butylthiophenoxy)-propylamine

N-methyl-3-phenyl-3-(2-ethylthiophenoxy)propylamine malonate

(S)-N-methyl-3-phenyl-3-(2-1-butylthiophenoxy)-propylamine naphthalene-2-sulfonate

(R)-N-methyl-3-(2-methylthiophenoxy)-3-phenylpropylamine

(S)-N-methyl-3-phonyl-3-(2-t-butylthiophenoxy)-propylamine naphthalene-2-sulfonate

The compounds used in this invention are safe drugs, and their use in ADHD, in both adults and children, is a superior treatment for that disorder because of their improved safety. The compounds are particularly selective, having few if any physiological effects besides that on norepinephrine processing, and therefore are free of side effects and unwanted activities. Further, they are effective at relatively low doses as discussed below, and may safely and effec-

#### EP 0 756 869 A2

tively be administered once per day. Thus, difficulties created by the multiple dosing of patients, who are children and disorganized adults, are completely avoided.

The present invention is described as a method of treating ADHD. It is not intended, of course, that every use of the invention will result in a complete cure of the disorder. Treatment of psychiatric disorders is not that precise. It is intended, however, that the use of the invention will result in improvement of the treated ADHD patient which will approach complete cure in some cases. In other cases, a lesser degree of improvement, still benefiting the patient, will be obtained. Such treatment is carried out by administering an effective amount of the chosen compound. It will be understood that amount is an amount which produces treatment of the patient at hand.

The effective dose of a compound of this invention for ADHD is in the range from about 1 mg/day to about 100 mg/day. The preferred adult dose is in the range from about 5 to about 80 mg/day, and a more highly preferred adult dose is from about 10 to about 60 mg/day. The children's dose of course is smaller, in the range from about 1 to about 70 mg/day, more preferably from about 5 to about 60 mg/day and still more preferably from about 5 to about 50 mg/day. The optimum dose for each patient, as always, must be set by the physician in charge of the case, taking into account the patient's size, other medications which the patient requires, severity of the disorder and all of the other circumstances of the patient.

Since the compounds are readily orally absorbed and require only once/day administration, there is little or no reason to administer them in any other way than orally. They may be produced in the form of a clean, stable crystal, and thus are easily formulated in the usual oral pharmaceutical forms, such as tablets, capsules, suspensions, and the like. The usual methods of pharmaceutical scientists are applicable. They may usefully be administered, if there is any reason to do so in a particular circumstance, in other pharmaceutical forms, such as injectable solutions, depot injections, suppositories and the like, which are well known to and understood by pharmaceutical scientists. It will substantially always be preferred, however, to administer a compound as a tablet or capsule and such pharmaceutical forms are recommended.

A preferred duloxetine enteric formulation is a pellet formulation comprising a) a core consisting of duloxetine and a pharmaceutically acceptable excipient. b) an optional separating layer, c) an enteric layer comprising hydroxypropylmethylcellulose acetate succinate (HPMCAS) and a pharmaceutically acceptable excipient, d) an optional finishing layer. The following example demonstrates the preparation of a preferred such formulation.

3

25

30

35

#### Example

5	. 10	mg Duloxetine base/	capsule
	Bill of Materials		
	Beads		
	Sucrose - starch nor	i ipareils,	
10	20-25 mesh	60.28 mg	
	Duloxetine layer		
15	Duloxetine	11.21	,
	Hydroxypropýlme	thylcellulose	3.74
	Separating layer		
20	Hydroxypropylme	thylcellulose	2.51
	Sucrose	5.00	
	Talc, 500 mesh	10.03	
•	Enteric layer	 	÷
	HPMCAS, LF grad	e, Shin-Etsu Chemic	al 25.05
<b>25</b>	Co., Toky	hylcellulose 3.74  hylcellulose 2.51 5.00 10.03  , Shin-Etsu Chemical 25.05 , Japan 5.00 7.52  hylcellulose 8.44	
	Triethyl citrat	e 5.	00
. 30	Talc, 500 mesh	7.52	
	Finishing layer	•	-
	Hydroxypropylme	thylcellulose	8.44
	Titanium dioxid	le 2.	81
35	Talc	<u>Trace</u>	
		141.60 mg	

The duloxetine layer was built up by suspending duloxetine in a 4% w/w solution of the hydroxypropylmethylcellulose in water, and milling the suspension with a CoBall Mill (Fryma Mashinen AG, Rheinfelden, Switzerland) model MS-12 A fluid bed dryer with a Wurster column was used to make this product, at a batch size of 1 0 kg. The separating layer was added from a 4% w/w solution of the hydroxypropylmethylcellulose in water, in which the sucrose was also dissolved.

In order to prepare the enteric coating suspension purified water was cooled to 10°C and the polysorbate, triethyl citrate and silicone emulsion were added and dispersed or dissolved. Then the HPMCAS and talc were added and agitated until homogeneity was obtained, and the HPMCAS was fully neutralized by addition of ammonium hydroxide until solution of the polymer was complete. To this suspension, a carboxymethylcellulose aqueous solution, 0.5% w/w was added and blended thoroughly. The enteric suspension was maintained at 20°C during the coating process. The enteric suspension was then added to the partially completed pellets in the Wurster column at a spray rate of about 15 ml/min. holding the temperature of the inlet air at about 50°C. The product was dried in the Wurster at 50°C when the enteric suspension had been fully added, and then dried on trays for 3 hours in a dry house at 60°C. A finishing layer was then applied which consisted of a 4.5% w/w/ hydroxypropylmethylcellulose solution containing tranium dioxide and propylene glycol as plasticizer. The pollots were completely dried in the fluid bed dryer and then were then filled in size 3 gelatin capsules.

The ADHD patient is rather readily recognized, and most people have been in contact with children, if not adults, who exhibit some or all of the symptoms of the disorder. The best description of the disorder is the diagnostic criteria for ADHD published by the American Psychiatric Association in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Version (1994), as follows

#### EP 0 756 869 A2

#### Diagnostic criteria for Attention-Deficit/Hyperactivity Disorder

A Either (1) or (2)

5

15

20

30

35

40

45

- (1) six (or more) of the following symptoms of inattention have persisted for at least 6 months to a degree that is maladaptive and inconsistent with developmental level Inattention
  - (a) often fails to give close attention to details or makes careless mistakes in schoolwork, work, or other activities
  - (b) often has difficulty sustaining attention in tasks or play activities
  - (c) often does not seem to listen when spoken to directly
  - (d) often does not follow through on instructions and fails to finish schoolwork, chores, or duties in the workplace (not due to oppositional behavior or failure to understand instructions)
  - (e) often has difficulty organizing tasks and activities
  - (f) often avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort (such as schoolwork or homework)
  - (g) often loses things necessary for tasks or activities (e.g., toys, school assignments, pencils, books, or tools)
  - (h) is often easily distracted by extraneous stimuli
  - (i) is often forgetful in daily activities
- (2) six (or more) of the following symptoms of **hyperactivity-impulsivity** have persisted for at least 6 months to a degree that is maladaptive and inconsistent with developmental level Hyperactivity
  - (a) often fidgets with hands or feet or squirms in seat
  - (b) often leaves seat in classroom or in other situations in which remaining seated is expected
  - (c) often runs about or climbs excessively in situations in which it is inappropriate (in adolescents or adults, may be limited to subjective feelings of restlessness)
  - (d) often has difficulty playing or engaging in leisure activities quietly
  - (e) is often "on the go" or often acts as if "driven by a motor"
  - (f) often talks excessively Impulsivity
  - (g) often blurts out answers before questions have been completed
  - (h) often has difficulty awaiting turn
- (i) often interrupts or intrudes on others (e.g., butts into conversations or games)
- B Some hyperactive-impulsive or inattentive symptoms that caused impairment were present before age 7 years
- C Some impairment from the symptoms is present in two or more settings (e.g., at school for work) and at home)
- D There must be clear evidence of clinically significant impairment in social, academic, or occupational functioning
- E The symptoms do not occur exclusively during the course of a Pervasive Developmental Disorder, Schizophrenia, or other Psychotic Disorder and are not better accounted for by another mental disorder (e.g., Mood Disorder, Anxiety Disorder, Dissociative Disorder, or a Personality Disorder)

It will be seen that ADHD is a disorder made up of two components, the attention deficit component and the hyperactivity component which are to a degree independent. Treatment with the compounds is effective in patients who are primarily suffering from either component or from the combined disorder.

While ADHD is still primarily regarded as a disorder of children, it is now understood that many ADHD patients, as many as 50% continue to suffer from the disorder as they grow through adolescence into adulthood. Biederman and associates have extensively studied the adult ADHD patient, and have found numerous cases. See, for example Biederman, et al. Am. J. Psychiatry 150, 1792-98 (1993). They found that cases of adult ADHD were frequently found among the parents and adult siblings of childhood ADHD patients. Thus, it appears that the disease is not only carried forward into adulthood, but is inheritable.

The Biederman, et al. article cited immediately above, as well as another article by the same authors. Am. J. Psychiatry 148, 564-77 (1991), reports studies of ADHD patients who also have one or more other psychiatric disorders. The authors indicate that such psychiatric co-morbidity is quite common among ADHD patients and, naturally, cloud the diagnosis and treatment of such patients. The compounds are effective in the treatment of ADHD, even though the situation of the treated patient may be complicated by co-morbidity with one or more additional disorders.

### EP 0 756 869 A2

The mere listing of the above diagnostic criteria indicates the seriousness of ADHD and the damage which it does to the patient. A person having a moderately severe case of ADHD is substantially entirely unable to-concentrate and hence unable to do meaningful work or study, is a continuing distraction and nuisance to those around her or him, because of the uselessly impulsive activity which the disorder causes, and consumes his or her family in cleaning up and repairing the damage and disruption which he or she causes. Such a patient of school age may substantially damage the teacher's ability to accomplish the class' goals, because the ADHD child will continually disrupt the class, distract the other children and consume the teacher's effort. Thus, it is readily apparent that an improved treatment of ADHD is needed, and that the present invention is accordingly important to many people

The method of the present invention is effective in the treatment of patients who are children, adolescents or adults, and there is no significant difference in the symptoms or the details of the manner of treatment among patients of different ages. In general terms, however, for purposes of the present invention, a child is considered to be a patient below the age of puberty an adolescent is considered to be a patient from the age of puberty up to about 18 years of age and an adult is considered to be a patient of 18 years or older

Claims

15

20

25

35

45

1. The use for the manufacture of a medicament for treating attention-deficit/hyperactivity disorder of duloxetine, or of a compound of the formula

30

wherein  $X = C_1 - C_4$  alkylthio and  $Y = C_1 - C_2$  alkyl or a stereoisomer thereof, or a pharmaceutically acceptable salt

- A use of Claim 1 wherein the predominantly inattentive type of attention-deficit/hyperactivity disorder is to be treat-
- A use of Claim 1 wherein the predominantly hyperactive-impulsive type of attention-deficit/hyperactivity disorder 40 is to be treated
  - A use of Claim 1 wherein the combined type of attention-deficit/hyperactivity disorder is to be treated
  - A use of Claim 1 wherein the patient to be treated is a child
  - A use of Claim 1 wherein the patient to be treated is an adolescent
  - A use of Claim 1 wherein the patient to be treated is an adult
- 50 A use of any one of Claims 1-7 wherein the compound is duloxetine
  - A use of any one of Claims 1-7 wherein the compound is N-methyl-3-(2-methylthiophenoxy)-3-phenylpropylamine or a stereoisomer thereof, or a pharmaceutically acceptable salt thereof

# Europäisches Patentamt European Patent Office Office européen des brevets



EP 0 756 869 A3

(12)

### **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3
16.06.1999 Bulletin 1999/24

(51) Int Cl 6 A61K 31/135, A61K 31/38

- (43) Date of publication A2 05.02.1997 Bulletin 1997/06
- (21) Application number 96305346.7
- (22) Date of filing 22.07.1996
- (84) Designated Contracting States

  AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL
  PT SE

  Designated Extension States

  AL LT LV SI
- (30) Priority 24.07.1995 US 1373 P 08.11.1995 US 6349 P 19.12.1995 GB 9525909
- (71) Applicant ELI LILLY AND COMPANY Indianapolis, Indiana 46285 (US)
- (72) Inventors
   Heiligenstein, John Harrison Indianapolis, Indiana 46228 (US)

- Laguzza, Bennett Coleman Indianapolis, Indiana 46250 (US)
- Paul, Steven Marc Carmel, Indiana 46032 (US)
- Tollefson, Gary Dennis Indianapolis, Indiana 46236 (US)
- (74) Representative. Hudson, Christopher Mark Lilly Industries Limited European Patent Operations Erl Wood Manor Windlesham Surrey GU20 6PH (GB)
- (54) Use of duloxetine or of N-alkyl-3-phenyl-(2-alkylthiophenoxy)-propylamines for treating attention-deficit/hyperactivity disorder
- (57) A group of propanamines norepinephrine up-

take inhibitors, are used to treat attention-deficit/hyperactivity disorder

EP 0 756 869 A3



# EUROPEAN SEARCH REPORT

Application Number

	DOCUMENTS CONSIDI	ERED TO BE RELEVANT		
ategory	Citation of document with in of relevant passa	dication, where appropriate,	Relevant to claim	CLASSIFICATION OF THE APPLICATION (InLCL6)
X	ZA 930 694 A (ELI L * page 49, paragrap * page 46, last para	h 2 <sup>†</sup> *	1-8	A61K31/135 A61K31/38
P,X	EP 0 687 472 A (ELI 20 December 1995 * page 14, line 25; * page 14, line 8-12	claims 1.3.6.7.10.11	1-8	
P,X	WO 96 12485 A (ELI * page 9, column 3- * page 5, line 20 *	LILLY) 2 May 1996 15; claims 1-5 *	1-8	
Y	US 5 114 976 A (NORT 19 May 1992 * tables 1-CASE4 *	DEN MICHAEL J)	1-8	
D,Y	US 4 956 388 A (ROBE 11 September 1990 * column 1; example	ERTSON DAVID W ET AL)	1-8	TECHNICAL FIELDS
Y D	EP 0 537 915 A (ELI * page 2, line 11-45 & US 5 281 624 A	LIULY) 21 April 1993 5; claims *	1-7,9	SEARCHED (Int.Cl.6)
Y	EP 0 591 581 A (ELI * page 2, line 15-47	LILLY) 13 April 1994	1-7,9	
	D.R. GEHLERT: "(R)- potent and selective and peripheral norep LIFE SCIENCES, vol. 56, no. 22, Apr 1915-1920, XP0020923 * last paragraph *	inhibitor of central pinephrine uptake"	1-7,9	
	The present search report has be			
	THE HAGUE	4 February 1999	OBV	Examiner IZ DIAZ P.
X partid Y partid docur A tecnn C non-r	TEGORY OF CITEC DOCUMENTS  Dularly relevant if combined with another ment of the same category totogcat background written declarate written declarate written declarate wedulate document	T theory or principle E server patent do: after the filing dat	e underlying the in sument, but publish a n the application or other reasons	vention hed on, or



Application Number

EP 96 30 5346

CLAIMS INCURRING FEES				
The present European patent application comprised at the time of filing more than ten claims.				
Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):				
No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.				
LACK OF UNITY OF INVENTION				
The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:				
see sheet B				
All turther search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.				
Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:				
None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:				
·				
·				



## EUROPEAN SEARCH REPORT

Application Number EP 96 30 5346

ategory	Citation of occurrent with indicate of relevant passages		Relevant to claim	CLASSIFICATION OF THE APPLICATION (INLCLE)
Γ .	US 5 696 168 A (J.H. 9 December 1997 * the whole document	HEILIGENSTEIN)	1-7,9	
	•			
	·			
	•			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
	·			
·		.!		
	The present search report has been	drawn up for all claims		
	THE HAGUE	0 are of completion of the search 4 February 1999	ORV	Examples IZ DIAZ P.
X perti	INTEGORY OF CITED DOCUMENTS Cultarly relevant if taken alone outarly relevant if combined with another ment of the same category notice and background written disciposure	T theory or print E earner patent after the hing D document cit	aple underlying the induction	vention hed an, at

Δ



# LACK OF UNITY OF INVENTION SHEET B

Application Number

EP 96 30 5346

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely

1. Claims: 1-7 (partially) and 8 (complete)

Use of duloxetine for the manufacture of a medicament for treating attention-deficit/hyperactivity disorder (ADHD)

2. Claims: 1-7 (partially) and 9 (complete)

Use of N-alkyl-3-phenyl-3-(2-alkylthiophenoxy)propylamines of the formula in claim 1 for the manufacture of a medicament for treating attention-deficit/hyperactivity disorder (ADHD)

ξ

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

# IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.